

**Produkt datablad KLEENGUARD\* A25+ Åndbar beskyttelsesdragt til beskyttelse mod væsker og partikler - Med hætte / Hvid**
**Produkt detaljer**

<b>Kort Varenr.</b>	89770 - 89820
<b>Produktbeskrivelse</b>	KLEENGUARD* A25+ Åndbar beskyttelsesdragt til beskyttelse mod væsker og partikler - Med hætte / Hvid
<b>Datablad</b>	31/01/2017
<b>Status</b>	On Sale


**Packaging Configuration**

<b>Pakkens indhold</b>	25 Beskyttelsesdragter
<b>Materiale yderpakning</b>	papir
<b>Varekode</b>	62101098

**Packaging and Palletisation**

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet type	Pallet LWH (m)	Krt. pr. palle	Inner Gross Weight (Kg)
89770-S	05027375045080	5033848035588	40 x 30 x 42	3.82/4.95	E5	1.20 x 0.80 x 1.41	8 x 3 =24	
89780-M	05027375045097	5033848035601	40 x 30 x 42	3.82/4.9	E5	1.20 x 0.80 x 1.41	8 x 3 =24	
89790-L	05027375045103	5033848035618	40 x 30 x 42	3.82/4.85	E5	1.20 x 0.80 x 1.41	8 x 3 =24	
89800-XL	05027375045110	5033848035625	40 x 30 x 47	3.82/4.89	E5	1.20 x 0.80 x 1.56	6 x 3 =18	
89810-XXL	05027375045127	5033848011575	40 x 30 x 44	3.82/4.92	E5	1.20 x 0.80 x 1.47	6 x 3 =18	
89820-XXXL	05027375045134	5033848035595	40 x 30 x 44	3.82/4.86	E5	1.20 x 0.80 x 1.47	6 x 3 =18	

**Product Configuration**


<b>Technology</b>	SMS	<b>fnugfri</b>	Ja
<b>åndbar</b>	Ja	<b>sterile</b>	Nej
<b>Latexfri</b>	Ja	<b>Silikonefri</b>	Ja
<b>Colour</b>	Hvid	<b>Highly visible</b>	Nej
<b>Lightweight</b>	Ja		

internationale standarder og symboler

# Produkt datablad KLEENGUARD\* A25+ Åndbar beskyttelsesdragt til beskyttelse mod væsker og partikler - Med hætte / Hvid

## Marketing

**Technology – Apparel** Fabric Choice



## Solution

**Safer Workplace** Vi ved, at medarbejdersikkerhed er din topprioritet. Du kan stole på vores løsninger til at beskytte dem, deres miljø og alt dit vigtige arbejde.



**Productive Workplace** Din virksomheds succes afhænger af arbejds effektiviteten. Det er derfor, at vores løsninger er designet til at øge din produktivitet.



## Standard RE

**EN ISO 13982-1:2004 - Particle Protection** Workwear Type 5



**EN 13034:2005 - Limited Splash Protection** Workwear Type 6



**Chemical Protection** Chemical Protection



**EN 1149-1:1995** Antistatic



**CE Mark** Simple - CAT I, Intermediate - CAT II or Complex - CAT III



**Rækkevidde symbol** beklædning



## Trade

**ISO 9001** This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



# Produkt datablad KLEENGUARD\* A25+ Åndbar beskyttelsesdragt til beskyttelse mod væsker og partikler - Med hætte / Hvid








## Test Results

Test	Result
EN 13274-4 M3 - Resistance to Ignition	PASS
EN 530 M2 - Abrasion Resistance	Class 1 of 6
EN ISO 13934-1 - Tensile Strength	Class 1 of 6
EN ISO 13935-2 Seam Strength (Grab test)	Class 3 of 6
EN ISO 13982-2 - Particle Inward Leakage (taped at the hood, wrist & ankles)	PASS
EN ISO 17491-4 (modified) - Resistance to Penetration by Liquids (spray test)	PASS
EN ISO 7854 MB - Flex Cracking	Class 3 of 6
EN1149-5 - Antistatic	PASS
ISO 6530 - Repellency to Liquid Chemicals	10%NaOH, 30%H2SO4, Class 3 of 3
ISO 6530 - Resistance to Penetration by Liquid Chemicals	10%NaOH, 30%H2SO4, Class 3 of 3
ISO 9073-4 - Trapezoidal Tear Resistance	Class 1 of 6

## indpakning

<b>Salgsenhed</b>	Case	<b>Bruttovægt</b>	5.35
<b>Krt. str. LxBxH(cm)</b>	40 x 30 x 44	<b>Materiale inderpakning</b>	plastic

## Instructions

Do not use chlorine - based bleach.		Do not dry clean.	
Inflammable. Keep away from open flames, sparks or intense heat sources. The fabric will begin to melt at the approximate temperature indicated.		The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before	
Do not iron.		Do not tumble dry	
Do not wash.			

## information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

<b>Infobox detaljer</b>	infofax@kcc.com	<b>Internet side</b>	www.kcprofessional.com
<b>Storage conditions</b>	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.	<b>Durability</b>	This product has an unlimited shelf life.
<b>Kunde service nummer</b>	For more information please contact Customer Service during regular office hours-0870 551 044		
<b>Oprindelsesland</b>	CHINA		